DECLARATION OF PERFORMANCE

No 01CSI-2017-PL

1. Unique identification code of the product type:

CROSSIN ATTIC SOFT Foam

2. Intended use/s:

Thermal insulating products for buildings. For professional usage as an in-situ formed sprayed semi-rigid polyurethane (PUR) foam for buildings and industrial objects.

3. Manufacturer:

PCC Prodex Sp. z o.o.

56-120 Brzeg Dolny

Ul. Henryka Sienkiewicza 4

4. System of AVCP:

System 3

5. Harmonized standard:

EN 14315-1:2013

Notified body

Nr 1488

Instytut Techniki Budowlanej

00-611 Warszawa,

Ul. Filtrowa 1

PCC PRODEX Spółka z o.o.
Z-ca Kierownika
Działu Badań i Rozwoju
Tomasz Rączko

6. Declared performance/s:

http://www.crossin.pcc.eu/
(+48) 695 000 888, (+48) 22 729 14 67

Essential characteristics	Performance	Harmonized technical specification
Reaction to fire	**Klasa E**	EN 14315-1
Short-term water absorption by partial immersion, W_p	**0,85 kg/m^2**	EN 14315-1
Thermal conductivity, λ	$\lambda_{mean,i}$ **= 0,037 W/mK** $\lambda_{90,90}$ **= 0,038 W/mK**	EN 14315-1
Declared aged thermal conductivity, λ_D	λ_D **= 0,038 W/mK**	
Water vapour diffusion resistance factor, μ	**MU3**	EN 14315-1
Compressive stress at 10% deformation, σ_{10}	**CS(10\Y) 6**	EN 14315-1

7. The performance of the product identified above is in conformity with the set of declared performance/s. This declaration of performance is issued, in accordance with Regulation (EU) No 305/2011, under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:

Tomasz Rączko

Deputy of Reasearch
and Development Manager

at Żółwin, on 20.11.2017

PCC PRODEX S.A.
Z-ca Kierownika
Działu Badań i Rozwoju
Tomasz Rączko